

DOCUMENT TYPE

SPEC-SEA

OCEAN CONTAINER SPECIFICATIONS



20' STANDARD CONTAINER

Interior Dimensions (L x W x H): 5.919 m x 2.340 m x 2.380 m (19'-5" x 7'-8" x 7'-9 1/2")

Door Opening: (W x H): 2.286 m x 2.278 m (7'-6" x 7'-5 1/2")

Tare Weight: 2,220 kg (4,894 lbs) Cubic Capacity: 33.0 cbm (1,165 cubic ft) Payload*: 22,100 kg (48,721 lbs)



40' STANDARD CONTAINER

Interior Dimensions (L x W x H): 12.051 m x 2.340 m x 2.380 m (39'-6 1/2" x 7'-8" x 7'-9 1/2")

Door Opening: (W x H): 2.286 m x 2.278 m (7'-6" x 7'-5 1/2")

Tare Weight: 3,740 kg (8,245 lbs) Cubic Capacity: 67.3 cbm (2,377 cubic ft) Payload*: 27,397 kg (60,401 lbs)



7 40' HIGH CUBE CONTAINER

Interior Dimensions (L x W x H): 12.056 m x 2.347 m x 2.684 m (39'-6 1/2" x 7'-8 1/4" x 8'-9 1/2")

Door Opening: (W x H): 2.340 m x 2.585 m (7'-8" x 8'-5 3/4")

Tare Weight: 3,950 kg (8,708 lbs) Cubic Capacity: 76.0 cbm (2,684 cubic ft) Payload*: 29,600 kg (65,256 lbs)



45' HIGH CUBE CONTAINER

Interior Dimensions (L x W x H): 13.582 m x 2.347 m x 2.690 m (44'-6 1/2" x 7'-8 1/4" x 8'-10")

Door Opening: (W x H): $2.340 \text{ m} \times 2.585 \text{ m} (7'-8" \times 8'-53/4")$

Tare Weight: 4,740 kg (10,450 lbs)
Cubic Capacity: 85.7 cbm (3,026 cubic ft)
Payload*: 28,390 kg (62,589 lbs)

NOTE: The figures in this chart were calculated by using the 85% rule, which is based on useable space versus actual capacity. The container tables are to be used as a guideline only. Individual container manufacturers and steamship lines will have container specifications which will vary somewhat from those listed here.

CONTAINER SIZE	45' HIGH CUBE	40' HIGH CUBE	40' STANDARD	20' STANDARD
MAX VOLUME (CUBIC METERS)	72	63	56	28
MAX VOLUME (CUBIC FEET)	2595	2305	2040	995

^{*}Payload weight exceeds over-the-road legal limits in US and Canada. Recommended maximum payload for the US and Canada is 35,000 lbs per 20' and 42,000 lbs per 40'.